

THE UNITED SHAVES OF AMERICA

To au to vuom tuese presents suat come: Hioneer Hi-Bred International, Inc.

THOUGHS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLEMISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE USAIT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR ORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT DBY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'PHCER'

In Testimonn Wherevi, I have hereunto set my hand and caused the seal of the Plant Variety Frotection Office to be affixed at the City of Washington, D.C. this twenty-third day of November, in the year two thousand and seven.

Allest:

Berzu

Commissioner Plant Variety Protection Office Sgricultural Marketing Service friculture

| REPRODUCE LOCALLY. Include form number and | date on all reprod | luctions | | | | Form Approved - OMB No. 0581-0055 | |
|---|---|--|-----------|--|-------------|--|--|
| U.S. DEPARTMEI AGRICULTURAL I SCIENCE AND TECHNOLOGY - P | MARKETING SERV | VICE | Ü | The following statements are made in accordance with the Privacy Act of 1974 (5.U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995. Application is required in order to determine if a plant variety protection cod | | | |
| APPLICATION FOR PLANT VA (Instructions and information col | | | A) (7 | Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426). | | | |
| . NAME OF OWNER | | | 2. | 2. TEMPORARY DESIGNATION OR S. VARIETY NAME EXPERIMENTAL NAME | | | |
| Pioneer Hi-Bred | Internatio | nal, Inc. | | EXPERIMENTAL NAME | | PHCER | |
| . ADDRESS (Street and No., or R.F.D. No., City, | | · · · · · · · · · · · · · · · · · · · | 5. | TELEPHONE (include area code) | | FOR OFFICIAL USE ONLY | |
| | nd | | | 515/270-4051 | PVPO | NUMBER STATE OF THE STATE OF TH | |
| | 62 nd Avenu | | 6. | FAX (include area code) | | 200500257 | |
| Johnston, I | A 50151-00 | 160 | | 515/253-2125 | FILIN | 3 DATE | |
| IF THE OWNER NAMED IS NOT A "PERSON", ORGANIZATION (corporation, partnership, association | | 8. IF INCORPORATED, GIVE STATE OF INCORPORATION IOWA | | March 5, 1999 | | May 17,2005 | |
| NAME AND ADDRESS OF OWNER REPRESE | ENTATIVE(S) TO S | SERVE IN THIS APPLICATION. (Fir. | st perso | n listed will receive all papers) | F | FILING AND EXAMINATION FEES: | |
| | | | | • | E S | \$ 3652.00 DATE 5/17/05 | |
| Paga | | R. Anderson | | | R | CERTIFICATION FEE: | |
| Resea | | roduct Development . Box 85 | T. | | ,د آ | \$ 768.00 | |
| | | IA 50131-0085 | | | V E | DATE 10/15/07 | |
| | · · · · · · · · · · · · · · · · · · · | | | | D | 10/13/0/ | |
| TELEPHONE (Include area code) 515/270-4051 | 12. FAX (Include | e area code) 515/253-2125 | | 13. E-MAIL steve | en.an | derson@pioneer.com | |
| 4. CROP KIND (Common Name) | 16. FAMILY NA | ME (Botanical) | | 18. DOES THE VARIETY CONTAIN ANY TRANSGENES? (OPTIONAL) | | | |
| Corn 5. GENUS AND SPECIES NAME OF CROP | 47 10 TUE VAD | Gramineae RETY A FIRST GENERATION HYBI | DIDO | ☐ YES ☑ NO | | | |
| Zea Mays | ☐ YES | | KIU? | IF SO, PLEASE GIVE THE ASSIGNED USDA-APHIS REFERENCE NUMBER FOR TI APPROVED PETITION TO DEREGULATE THE GENETICALLY MODIFIED PLANT FOR COMMERICALIZATION. | | | |
| CHECK APPROPRIATE BOX FOR EACH ATTA (Follow instructions on reverse) | | TTED | | | | EED OF THIS VARIETY BE SOLD AS A CLASS (3(a) of the Plant Variety Protection Act) | |
| a. \overline{\textit{\textit{Z}}} | • | | | ☐ YES (If "yes", answer i | | | |
| c. Exhibit C. Objective Description of Variety | | | | 21. DOES THE OWNER SPECIFY NUMBER OF CLASSES? | THAT S | EED OF THIS VARIETY BE LIMITED AS TO | |
| d. ☐ Exhibit D. Additional Description of the Variety (Optional) e. ☒ Exhibit E. Statement of the Basis of the Owner's Ownership f. ☒ Voucher Sample (2,500 viable untreated seeds or, for tuber propagated varieties, verification that tissue culture will be deposited and maintained in an approved public repository) g. ☒ Filing and Examination Fee (\$3,652), made payable to "Treasurer of the United States" (Mail to the Plant Variety Protection Office) | | | | ☐ YES ☐ NO | | • | |
| | | | | | | NDATION ☐ REGISTERED ☐ CERTIFIED EED OF THIS VARIETY BE LIMITED AS TO | |
| | | | | NUMBER OF GENERATIONS | | EED OF THIS VARIETY BE LIMITED AS TO | |
| States (Men to the Franc Vanety Frotestic | n Onice) | | | ☐ YES ☐ NO | | | |
| | | | | IF YES, SPECIFY THE NUMB | ER 1,2,3, | etc. FOR EACH CLASS. | |
| | | | | | GISTERI | ED CERTIFIED clease use the space indicated on the reverse.) | |
| 3. HAS THE VARIETY (INCLUDING ANY HARVES FROM THIS VARIETY BEEN SOLD, DISPOSED OTHER COUNTRIES? | | | | 24. IS THE VARIETY OR ANY CO | MPONE | NT OF THE VARIETY PROTECTED BY PLANT BREEDER'S RIGHT OR PATENT)? | |
| ✓ YES □ NO | | | | ☐ YES ☒ NO | | | |
| | IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.) | | | IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED REFERENCE NUMBER. (Please use space indicated on reverse.) | | | |
| The owners declare that a viable sample of bas for a tuber propagated variety a tissue culture w | | | | | ccordano | e with such regulations as may be applicable, or | |
| The undersigned owner(s) is(are) the owner of the entitled to protection under the provisions of Sec | nis sexually reprod tion 42 of the Plan | luced or tuber propagated plant vari it Variety Protection Act. | iety, and | i believe(s) that the variety is new, dis | stinct, uni | form, and stable as required in Section 42, and is | |
| Owner(s) is (are) informed that false representat | ion herein can jeop | pardize protection and result in pena | alties, | | | | |
| IGNATURE OF OWNER | | | SIGNA | TURE OF OWNER | | Medican | |
| AME (Please print or type) | | | NAME (| (Please print or type) | <u> </u> | | |
| | | | | | | Anderson | |
| APACITY OR TITLE | DATE | | | esearch Scientist | DATE | -16-2005 | |
| | | | | (See reverse for Instructions | and inform | nation collection burden statement) | |

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that vill reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 illing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials o make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuanc of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvpindex.htm

Fo avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that name has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, 10301 Baltimore Avenue, Suite 401 NAL Building, Beltsville, MD 20705. Telephone: (301) 504-5682 http://www.ams.usda.gov/lsg/seed.htm.

TEM

19a.Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Inited States Nov. 1, 2004, Canada Nov. 1, 2004

24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the rariety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's epresentative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any nodification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The alid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing astructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

he U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, plitical beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information 3rellle, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

o file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD) SDA is an equal opportunity provider and employer.

T-470 (04-03) designed by the Plant Variety Protection Office using Word 2002.

Exhibit A: Developmental history for PHCER

Pedigree: PH331/PH4GP)X1K1131X

Pioneer Line PHCER, Zea mays L., a yellow endosperm, hard textured dent corn, inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross hybrid PH331 X PH4GP (PVP Certificate Number 200100233) using the pedigree method of plant breeding. Varieties PH331 and PH4GP are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Variety PH331 was derived by pedigree selection from the single cross hybrid PHHB4 (PVP Certificate Number 9400093) / PH23A. Variety PH23A was derived by pedigree selection from the single cross hybrid PHV23 / PHT11 (PVP Certificate Number 9100101). Selfing was practiced from the above hybrid for 7 generations using pedigree selection. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Windfall, Indiana as well as other Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations again made for uniformity.

Variety PHCER has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed 5 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetic homozygousity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability, and for 4 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and using sound lab electrophoresis methodology.

No variant traits have been observed or are expected in PHCER.

The criteria used in the selection of PHCER were yield, both per se and in hybrid combinations. Late season plant health and late season root lodging, grain quality, stalk lodging resistance, and kernel size are especially important in production, and were also important criteria considered during selection.

* Variety PHV23 was derived by pedigree selection from PHG47 X a variety that traces back in derivation to B73, B37, C103, B14.

Exhibit A: Developmental history for PHCER

| Pedigree Grown Season/Year | Inbreeding Level of Pedigree Grown |
|------------------------------------|---------------------------------------|
| PH331 | F0 |
| PH4GP | F0 |
| PH331/PH4GP Winter 1997 | F1 |
| PH331/PH4GP)X Summer 1998 | . F2 |
| PH331/PH4GP)X1 Winter 1999 | F3 |
| PH331/PH4GP)X1K1 Summer 2000 | F4 |
| PH331/PH4GP)X1K11 Winter 2000 | F5 |
| PH331/PH4GP)X1K113 Summer 2001 | F6 |
| PH331/PH4GP)X1K1131 Summer 2002 | F7 |
| PH331/PH4GP)X1K1131X | F8 (Seed) |
| | |
| | |

^{*}PHCER was selfed and ear-rowed from F3 through F7 generation.
#Uniformity and stability were established from F4 through F7 generation and beyond when seed supplies were increased.

Exhibit B: Novelty Statement

Variety PHCER mostly resembles Pioneer Hi-Bred International, Inc. proprietary inbred line PH4GP (PVP Certificate No. 200100233). Table 1a shows two sample t-tests on data collected in the area of adaptation for PHCER. The traits collectively show measurable differences between the two varieties.

Exhibit B: Novelty Statement

Variety PHCER has a higher GIBERS score (8.3 vs 6.3) than variety PH4GP (Table 1a).

Definitions:

GIBERS = GIBBERELLA EAR ROT (PINK MOLD) (*Gibberella zeae*). A 1 to 9 visual rating indicating the resistance to Gibberella Ear Rot. A higher score indicates a higher resistance. Data are collected only when sufficient selection pressure exists in the experiment measured.

Exhibit B: Novelty Statement Table(s)

Table 1a: Data from the area of adaptation for PHCER presented by trait, across years, and broken out by year. Data are supporting evidence for differences between PHCER and PH4GP. Each year varieties were grown in different locations that had different environmental conditions. A two-sample t-test was used to compare differences between means.

| GIBERS score ABS | | SD2 | | | 0.4 |
|-------------------------|----|-----------|-------|-------|-------|
| GIBERS (score score ABS | | SD1 | | | 4.0 |
| GIBERS score ABS | | Diff | 2 | 2 | 2 |
| GIBERS score ABS | \ | #Locs | τ- | _ | 2 |
| GIBERS score ABS | | Mean2 | 6.5 | 9 | 6.3 |
| GIBERS score ABS | | Mean1 | 8.5 | 8 | 8.3 |
| | | EXPT_YEAR | 2005 | 2006 | |
| | GE | Name2 | PH4GP | PH4GP | PH4GP |
| | GE | Name1 | PHCER | PHCER | PHCER |

Based on previous discussions with the PVP office the traits longitudinal creases and marginal leaf waves were not collected. These traits have low distinguishing power and are variable due to daily fluctuations in water status of the plants. Therefore, we eliminated them from our process based on previous feedback from the PVP office. For insect or disease traits we included data from disease pressure locations only if they were available and paired with the public check. Most often diseases and insect trials are conducted on hybrids since that is the product ultimately sold. In addition, creating consistent disease pressure and infestation levels is costly and difficult.

In cases where less than 15 observations are presented the trait was collected at the plot level as it always has been done in the past. This means many more plants were visually evaluated according to the procedure outlined below, and then a score of the "population" of the plants was recorded for each location.

The experimental design and methods for 2004 were as follows:

The experiment procedures involved three environments with different planting dates per year, planted in 17.42 ft. rows with 2 rows for each variety. Approximately 24-30 plants emerged in each of 2 rows for a total of around 48 to 60 plants being evaluated at each location and 144 to 180 plants across locations. For plant level traits, we sampled 5 representative plants from the 2 rows of the 2 row plot (group) of plants at each location. For plot level traits we evaluated the 2 row plot (group) and gave a representative score or average on the 48-60 plants in the group within an experiment.

Some traits can be especially variable under different environmental factors influenced by weather, soil type, or planting dates. Varying temperatures or day length could impact the meristem growth during various tissue differentiation stages. The meristem differentiation of the ear and other tissues could be impacted as well as the success of pollination during flowering and frequency of kernel abortion during grain fill.

We have included weather data in the table that follows.

| Month | GROW | GROWING DEGREE L | EE UNITS (| UNITS (GDU'S) | ۵ | PRECIPITATION | ON Gachoe | [- |
|-----------|-----------|------------------|------------|---------------|-----------|---------------|-----------|----------|
| | 20 | 2003 | 20 | 2004 | 30 | 2003 | | |
| | D. Center | . Inhineton | Donner | | 7 | , | 3[| cuu4 |
| | | | iailiao 'A | 3 | D. Center | Johnston | Center. | Johnston |
| May | 375 | 380 | 548 | 527 | 5.7 | 5.43 | 7 19 | 7.75 |
| June | 909 | 604 | 609 | 610 | 1.92 | 4 23 | 1 07 | 200 |
| July | 628 | 782 | 723 | 736 | 0.18 | 3.4 | 2000 | 50.5 |
| August | 292 | 786 | 610 | 212 | 27.0 | | 6.23 | 40.4 |
| Senfombor | 720 | | 210 | 2 | ‡ | 10.0 | 1.95 | 4.95 |
| TOT A | 9 | 400 | 286 | 560 | 2.19 | 2.52 | 1.38 | 1.24 |
| 7 | 7860 | 3020 | 3090 | 3048 | 10,43 | 16.09 | 14.78 | 24.87 |

Calculate GDU's

Growing Degree Units use following formula: GDU = ((T1+T2)/2)-50

Where T1 = minimum temperature for a given day with 50 degrees Fahrenheit as the minimum temperature used and 86 degrees Fahrenheit is the maximum temperature used. Where T2 = maximum temperature for a given day with 86 degrees Fahrenheit as the maximum temperature used. GDU"s are calculated each day and accumulated (summed) over certain number of days. United States Department of Agriculture, Agricultural Marketing Service Science and Technology, Plant Variety Protection Office National Agricultural Library Building, Room 400 Beltsville, MD 20705-2351

OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

| Pioneer Hi-Bred In | | l Variety Seed | Source | I Variety Name or 1 I PHCER | Temporary Designation |
|--|--|---|---|--|--|
| Address (Street & N 7301 NW 62nd Ave | lo., or R.F.D. No., City, State, 2 nue, P.O. Box 85, Johnston, | Zip Code and Country lowa 50131-0085 | FOR OFFICIAL | AL USE ! | PVPO Number 0050025 |
| adding leading zero | te number that describes the view if necessary. Completeness ry for an adequate variety described in the complete control of the control of t | should be striven for to | establish an adequate va | ne spaces below. Right riety description. Traits | justify whole numbers by designated by a "*" are |
| COLOR CHOICES (01. Light Green 02. Medium Green 03. Dark Green 04. Very Dark Gree 05. Green-Yellow | 08. Yellow-Orange | Il color code to describe 11. Pink 12. Light Red 13. Cherry Red 14. Red 15. Red & White | all color choices; describ 16. Pale Purple 17. Purple 18. Colorless 19. White 20. White Capped | e #25 and #26 in Comr 21. Buff 22. Tan 23. Brown 24. Bronze 25. Variegated (Des | 26. Other (Describe) |
| STANDARD INBREI Yellow Dent Familio Family B14 B37 B73 C103 Oh43 WF9 | D CHOICES [Use the most sines: Members CM105, A632, B64, B68 B37, B76, H84 N192, A679, B73, Nc268 Mo17, Va102, Va35, A682 A619, MS71, H99, Va26 W64A, A554, A654, Pa91 | illar (in background and Yellow Dent (Unrelated Co109, ND246 Oh7, T232 W117, W153R W182BN White Dent: Cl66, H105, Ky |): | Sweet Corn: C13, lowa512 Popcorn: | 25, P39, 2132 722, HP301, HP7211 |
| 1. TYPE: (describe 2 (1=Swee Flint-Den | intermediate types in "Comme et, 2=Dent, 3=Flint, 4=Flour, 5= t | nts" section) :Pop, 6≕Ornamental, 7≕ | Pipecorn) | I Standard Inbred I I 2 Type | Name A619 |
| | E DEVELOPED IN THE U.S.A. est, 2=N.Central, 3=N.East, 4= | | S.West, 7=Other | I Standard Seed S | ource AMES 19306 |
| 3. MATURITY (In R DAYS 62 62 2 | | to 50% of plants in silk to 50% of plants in polle | n | DAYS 60 58 2 | HEAT UNITS 1.264.7 1.232.3 56 |
| 79.7 cm Ear I 15.1 cm Leng 0.0 Average 1.0 Average 2 Anthocy | t Height (to tassel tip) Height (to base of top ear node of the Top Ear Internode Number of Tillers Number of Ears per Stalk anin of Brace Roots: 1=Absent | ·) | 0.04 6 | <u>197.7</u> <u>52.9</u> <u>15.5</u> <u>0.0</u> | St.Dev. Sample Size 16.02 30 9.04 30 1.74 30 0.02 6 0.08 6 |
| Application Variety I | Data | | Page 1 | I Standard Inbred I | Data |

| 5. LEAF | Ct Day | Commis Circ | N. 8 | Ct Davi | Cample Circ |
|---|-------------------------|-----------------------|----------------------------|--------------------------------------|-----------------|
| 9.7 cm Width of Ear Node Leaf | St.Dev. 0.88 | Sample Size 1 30 1 | Mean <u>9.4</u> | St.Dev. 1.00 | Sample Size |
| 65.4 cm Length of Ear Node Leaf | 4.77 | 30 I | <u>5.4</u> 67.9 | 4.99 | <u>30</u> 30 |
| 7.0 Number of leaves above top ear | 0.85 | 30 i | <u>5.5</u> | 0.68 | <u>30</u> |
| 21.1 Degrees Leaf Angle | <u>9.55</u> 4.19 | 30 i | 2 <u>7.6</u> | 7.82 | 30 |
| (Measure from 2nd leaf above ear at anthesis to stalk | | <u>99</u> 1 | ELIX | <u>0E</u> | <u> </u> |
| 4 Leaf Color (Munsell Code) 5GY34 Leaf Sheath Pubescence (Rate on scale from 1=non Marginal Waves (Rate on scale from 1=none to 9=m | e to 9=like peach t | iuzz) ! | <u>4</u> (Munsell <u>5</u> | Code) <u>5G\</u> | <u>(34</u> |
| Longitudinal Creases (Rate on scale from 1=none to | | ĺ | | | |
| . TASSEL: | St.Dev. | Sample Size 1 | Mean | St.Dev. | Sample Size |
| 2.8 Number of Primary Lateral Branches | <u>1.07</u> | <u>30</u> I | <u>10.1</u> | 1.84 | 30 |
| 25.5 Degrees Branch Angle from Central Spike | <u>10.92</u> | <u>29</u> | <u>31.6</u> | <u>7.80</u> | 29 |
| 49.4 cm tassel Length | <u>4.73</u> | <u>30</u> ! | <u>59.5</u> | <u>4.96</u> | <u>30</u> |
| (from top leaf collar to tassel tip) 4 Pollen Shed (Rate on scale from 0=male sterile to 9= | -booses abad) | 1 | 7 | | |
| 12 Anther Color (Munsell Code) 7.5R56 | -neavy sneu) | ı I | 7 8 (Munsell | Code) 10Y | si n |
| 2 Glume Color (Munsell Code) 5GY66 | | i | | Code) <u>101</u> Code) <u>5G\</u> | |
| 1 Bar Glumes (Glume Bands): 1=Absent, 2=Present | | i | 1 | 00de) <u>501</u> | <u> </u> |
| a. EAR (Unhusked Data): 1 Silk Color (3 days after emergence) (Munsell Code) | 2.5 | GY88 I | 1 Munsell | Code 250 | 3Y.9Å |
| 2 Fresh Husk Color (25 days after 50% silking) (Muns | | Y68 1 | | Code <u>2.50</u> Code <u>5G</u> 1 | |
| 19 Dry Husk Color (65 days after 50% silking) (Munsell | | /R92 | 21 Munsell | | |
| 2 Position of Ear at Dry Husk Stage: 1=Upright, 2=Ho | | | • | 00de <u>2.51</u> | 7 |
| 5 Husk Tightness (Rate on scale from 1=very loose to | | ì | 3 7 3 | | |
| 2 Husk Extension (at harvest): 1=Short(ears exposed) | . 2=Medium (<8cm | n), 3=Long I | 3 | | |
| (8-10cm beyond ear tip), 4=Very Long (>10cm) | • | | | | |
| b. EAR (Husked Ear Data) | St. Dev. | Sample Size I | Mean | St.Dev. | Sample Size |
| 16.1 cm Ear Length | <u>1.33</u> | <u>30</u> | <u>13.4</u> | <u>1.45</u> | <u>30</u> |
| 41.3 mm Ear Diameter at mid-point | <u>2.26</u> | <u>30</u> | <u>45.8</u> | <u>2.52</u> | 30 |
| 121.0 gm Ear Weight | <u>33.21</u> | <u>30</u> ! | <u>93.4</u> | <u>17.13</u> | 30 |
| 13.9 Number of Kernel Rows | <u>0.98</u> | <u>30</u> ! | <u>15.2</u> | <u>1.63</u> | <u>30</u> |
| 2 Kernel Rows: 1=Indistinct, 2=Distinct | | 1 | <u>2</u> <u>2</u> | | |
| 1 Row Alignment: 1=Straight, 2=Slightly Curved, 3=Sp | | 20 1 | 44.0 | 1.60 | 20 |
| 12.0 cm Shank Length2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3= | 2.17 | <u>30</u> I | <u>11.0</u> <u>2</u> | <u>1.60</u> | <u>30</u> |
| | | • | | | |
| KERNEL (Dried): | St.Dev. | Sample Size I | Mean | St.Dev. | Sample Size |
| 11.0 mm Kernel Length | 1.13 | <u>30</u> 1 | <u>11.0</u> | 0.89 | <u>3</u> 1 |
| 8.6 mm Kernel Width | <u>0.68</u> | <u>30</u> 1 | 8.4 | <u>0.67</u> 0.82 | <u>3(</u> 3(|
| 5.1 mm Kernel Thickness | <u>0.51</u> | 30 I | <u>4.9</u> | | |
| 56.0 % Round Kernels (Shape Grade) 1 Aleurone Color Pattern: 1=Homozygous, 2=Segrega | 13.91 | <u>6</u> I | <u>44.3</u> 1 (describe | 10.5 <u>1</u> | <u>6</u> |
| | mg (describe) 5Y8/16 | | 7 Munsell (| | 0YR8/14 |
| | 5Y8/14 | i i | 7 Munsell (| | 0YR7/12 |
| 3 Endosperm Type: 1=Sweet(su1), 2=Extra Sweet(sh2 | | h. 4=Hiah | <u>3</u> (describe | _ | |
| Amylose Starch, 5=Waxy Starch, 6=High Protein, 7=H (se), 9=High Oil, 10=Other | | | _ (40001100 | | |
| 31.5 gm Weight per 100 kernels (unsized sample) | <u>7.56</u> | 1 <u>6</u> 1 | <u>27.8</u> | 2.64 | <u>6</u> |
| COB: | St.Dev. | Sample Size 1 | Mean | St.Dev | Sample Siz |
| 22.8 mm Cob Diameter at mid-point | , <u>0.75</u> | | 27.6 | 2.80 | 3 3 |
| 11 Cob Color (Munsell Code) 10R | | <u>30</u> 1 | | l Code <u>2.</u> | |
| oplication Variety Data | Page 2 | ! | Standard Inbred D | Data | |
| | | | | | |

| Page | 3 |
|------|---|
| | |

| | ation Variety Data | | | |
|---------|--|------------------------------|-----------------------------------|--------|
| | Other (Specify) | | I Other (Specify) | |
| | Gibberella Ear Rot (Gibberella zeae) | | I _ Gibberella Ear Rot | |
| | Fusarim Ear and Kernel Rot (Fusarium moniliforme) | | Fusarium Ear & Kernel Rot | |
| | _ Diplodia Ear Rot (Stenocarpella maydis) | | Diplodia Ear Rot | |
| | _ Aspergillus Ear and Kernel Rot (Aspergillus flavus) | | Aspergillus Ear & Kernel Rot | |
| ບ. Ear | and Kernel Rots | | | |
| | Other (Specify) | | Other (Specify) | - |
| | Gibberella Stalk Rot (Gibberella zeae) | | l Gibberella Stalk Rot | |
| | Fusarium Stalk Rot (Fusarium moniliforme) | | I Fusarium Stalk Rot | |
| | Diplodia Stalk Rot (Stenocarpella maydis) | | l Diplodia Stalk Rot | |
| | Anthracnose Stalk Rot (Colletotrichum graminicola) | | l Anthracnose Stalk Rot | |
| C. Stal | ik Rots | | | |
| | Other (Specify) | | Other (Specify) | _ |
| | Sorghum Downy Mildew of Corn (Peronosclerospora sorgh | ni) | Sorghum Downy Mildew of Cor | |
| | Maize Dwarf Mosaic Virus (MDMV) Strain | | _ | Strain |
| | _ Maize Chlorotic Mottle Virus (MCMV) | | Maize Chlorotic Mottle Virus | |
| | _ Maize Chlorotic Dwarf Virus (MCDV) | | I Maize Chlorotic Dwarf Virus | |
| | Head Smut (Sphacelotheca reiliana) | | I Head Smut | |
| | Corn Lethal Necrosis (MCMV and MDMV) | | Corn Lethal Necrosis | |
| B. Sys | stemic Diseases | | | |
| | _ Other (Specify) | | Other (Specify) | |
| | Stewart's Wilt (Erwinia stewartii) | | I Stewart's Wilt | |
| | Southern Rust (Puccinia Polysora) | | I Southern Rust | 11400 |
| | Southern Leaf Blight (Bipolaris maydis) | Race | | Race |
| | 8 Northern Leaf Blight (Exserohilum turcicum) | Race | | Race |
| | Helminthosporium Leaf Spot (Bipolaris zeicola) | Race | | Race |
| | 4 Gray Leaf Spot (Cercospora zeae-maydis) | | I Goss's vviit I 4 Gray Leaf Spot | |
| | Goss's Wilt (Clavibacter michiganense spp. nebraskensis) | | l Eyespot I Goss's Wilt | |
| | Eyespot (Kabatiella zeae) | | | |
| | | | | |
| | | | | |
| . Л. Ц | | | -1 | |
| | | | 1 | |
| if not | t tested: leave Page or Strain Ontions blank if notice = io); | nost resistant); leave blank | l | |
| if not | DISEASE RESISTANCE (Rate from 1(most susceptible) to 9 (n t tested; leave Race or Strain Options blank if polygenic): eaf Blights, Wilts, and Local Infection Diseases Anthracnose Leaf Blight (Colletotrichum graminicola) Common Rust (Puccinia sorghi) Common Smut (Ustilago maydis) | nost resistant); leave blank | I I I I Common Rust Common Smut | |

Note: Use chart on first page to choose color codes for color traits.

200500257

| Application Variety Data | Pag | e 4 | I Standard Inbred Data |
|--|--|--|---|
| 11. INSECT RESISTANCE (Rate from 1(most susceptible) to 9 (mif not tested | nost resistant St. Dev. |); Leave blank Sample Size | I St. Dev. Sample Size |
| Banks Grass Mite (Oligonychus pratensis) Corn Earworm (Helicoverpa zea) Leaf Feeding | ot. Bev. | Cample Gize | I Banks Grass Mite I Corn Earworm I Leaf Feeding |
| Silk Feeding mg larval wt Ear Damage Corn Leaf Aphid (Rhopalosiphum maidis) Corn Sap Beetle (Carpophilus dimidiatus) European Corn Borer (Ostrinia nubilalis) 1 st Generation (Typically Whorl Leaf Feeding) 2 nd Generation (Typically Leaf Sheath-Collar Feeding) Stalk Tunneling: cm tunneled/plant Fall Armyworm (Spodoptera frugiperda) Leaf-Feeding | | | Ear Damage Corn Leaf Aphid Corn Sap Beetle European Corn Borer 1 1 st Generation 2 nd Generation Fall Armyworm Leaf-Feeding |
| Silk-Feedingmg larval wt. _ Maize Weevil (Sitophilus zeamais) | | | I Maize Weevil |
| Northern Rootworm (Diabrotica barberi) Southern Rootworm (Diabrotica undecimpunctata) Southwestern Corn Borer (Diatraea grandiosella) Leaf Feeding Stalk Tunneling: cm tunneled/plant Two-spotted Spider Mite (Tetranychus urticae) Western Rootworm (Diabrotica virgifera virgifera) Other (Specify) | | - | Northern Rootworm Southern Rootworm Southwestern Corn Borer Leaf Feeding Two-spotted Spider Mite Western Rootworm Other (Specify) |
| 12. AGRONOMIC TRAITS: 5 Stay Green (at 65 days after anthesis) (Rate on scale from % Dropped Ears (at 65 days after anthesis) % Pre-anthesis Brittle Snapping 7 % Pre-anthesis Root Lodging % Post-anthesis Root Lodging (at 65 days after anthesis) 6.543.0 Kg/ha Yield of Inbred Per Se (at 12-13% grain moi | | 9=excellent) | 3 Stay Green % Dropped ears % Pre-anthesis Brittle Snapping 22 % Pre-anthesis Root Lodging Post-anthesis Root Lodging 3,816,0 Yield |
| 13. MOLECULAR MARKERS: (0=data unavailable; 1=data available | le but not su | oplied; 2=data supplie | d.) |
| 1 Isozymes _ RFLP's | _ RAPD's | _ | Other (Specify) |
| REFERENCES: Butler, D.R. 1954. A System for the Classification of Corn Inbred Liebnerson, R.A., G.W. Beadle, and A.C. Fraser, 1935. A summary of Farr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. Fungi of Society, St. Paul, MN. | f Linkage St | udies in Maize. Cornel | |
| Inglett, G.E. (Ed) 1970. Corn: Culture, Processing, Products. Avi Pt Jugenheimer, R.W. 1976. Corn: Improvement, Seed Production, an McGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, MN. 150 Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230. New The Mutants of Maize. 1968. Crop Science Society of America. Mac Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press, S Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn and Corn Imp Madison. WI. | id Uses. Joh pp. vburgh, N.Y. dison, Wi. St. Paul, MN. | n Wiley & Sons, New 12551-0230 105 pp. | York. |

COMMENTS (e.g. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D)

Insect, disease, brittle snapping and root lodging data are collected mainly from environment where variability for the trait can be obtained within the experiment.

Stringfield, G.H. Maize Inbred Lines of Ohio A.E.S., Bul. 831. 1959. U.S. Department of Agriculture 1936, 1937. Yearbook.

CLARIFICATION OF DATA IN EXHIBITS B AND C

Please note the data presented in Exhibit B and C, "Objective Description of Variety," are collected primarily at Johnston and Dallas Center, Iowa. The data in Table 1 are from two sample t-tests using data collected in Johnston and Dallas Center, IA. These traits in exhibit B collectively show distinct differences between the two varieties.

| REPRODUCE LOCALLY. Include form number and edition date on all reproductions. U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP | Application is required in order to determin certificate is to be issued (7 U.S.C. 2421). confidential until the certificate is issued (7 | e if a plant variety protection The information is held |
|--|---|--|
| 1.NAME OF APPLICANT(S) PIONEER HI-BRED INTERNATIONAL, INC. | 2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER | 3. VARIETY NAME PHCER |
| 4 .ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country) 7301 NW 62 nd AVENUE P.O.BOX 85 JOHNSTON, IA 50131-0085 | 5.TELEPHONE (include area code) 515-270-4051 7.PVPO NUMBER | 6. FAX (include area code) 515-253-2125 200500257 |
| 8. Does the applicant own all rights to the variety? Mark an "X" in the appropriate b. | ? If no, give name of country. YES | □ NO |

☑ YES ☐ NO If no, give name of country

b. If the original rights to variety were owned by a company(ies), is (are) the original owner(s) a U.S. based company?

a. If the original rights to variety were owned by individual(s), is (are) the original owner(s) a U.S. National(s)?

11. Additional explanation on ownership (Trace ownership from original breeder to current owner. Use the reverse for extra space if needed):

Pioneer Hi-Bred International, Inc. (PHI), Des Moines, Iowa, and/or its wholly owned subsidiary Pioneer Overseas Corporation (POC), Des Moines, Iowa, is the employer of the plant breeders involved in the selection and development of PHCER. Pioneer Hi-Bred International and/or Pioneer Overseas Corporation has the sole rights and ownership of PHCER pursuant to written contracts that assign all rights in the variety to PHI and/or POC at the time such variety was created. No rights to this variety are retained by any individuals.

PLEASE NOTE:

Plant variety protection can only be afforded to the owners (not licensees) who meet the following criteria:

☐ YES ☐ NO If no, give name of country

- 1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed the final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definitions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 0,1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal employment opportunity provide and employer.